

Serial No. 10/091,610
Amendment dated November 4, 2005
Response to Office Action of June 6, 2005
Docket No. 7001-11

Amendments to Claims

This listing of claims will replace all prior versions and listings of claims in the instant application:

Listing of Claims

Claims 1-8 (Canceled).

9. (Previously Presented) The fitment system according to claim 21, wherein said first fitment apparatus further comprises:

a flange;

at least one projection assembly, wherein said projection assembly is attached to said flange; and

at least one engagement structure mounted on said projection assembly for detachably securing said first fitment apparatus to said interface.

10. (Original) The fitment system according to claim 9, wherein said second fitment apparatus further comprises:

a flange;

Serial No. 10/091,610
Amendment dated November 4, 2005
Response to Office Action of June 6, 2005
Docket No. 7001-11

at least one projection assembly, wherein said projection assembly is attached to said flange; and

at least one engagement structure mounted on said projection assembly for detachably securing said second fitment apparatus to said interface.

Claims 11-18 (Canceled).

19. (Previously Presented) The method according to claim 22, wherein said providing a first fitment apparatus step further comprises the steps of:

providing a flange;

providing at least one projection assembly;

attaching the projection assembly to the flange; and

mounting at least one engagement structure on the projection assembly for detachably securing the first fitment apparatus to the interface.

20. (Original) The method according to claim 19, wherein said providing a second fitment apparatus step further comprises the steps of:

providing a flange;

providing at least one projection assembly;

attaching the projection assembly to the flange; and

Serial No. 10/091,610
Amendment dated November 4, 2005
Response to Office Action of June 6, 2005
Docket No. 7001-11

mounting at least one engagement structure on the projection assembly for detachably securing the second fitment apparatus to the interface.

21. (Currently Amended) An interchangeable fitment system, comprising:
- a shipping container;
 - an interface detachably engaged to the container, wherein the interface has a notch having predetermined dimensions for receiving a first fitment apparatus and a second fitment apparatus, the first fitment apparatus having a first opening integrally formed in the first fitment and a first fitment outer perimeter and the second fitment apparatus having a second opening integrally formed in the second fitment and a second fitment outer perimeter;
 - wherein the a perimeter of the first opening is not equal to the a perimeter of the second opening;
 - wherein the first fitment outer perimeter is equal to the second fitment outer perimeter and corresponds to the predetermined dimensions of the notch.

22. (Currently Amended) A method of providing an interchangeable fitment system, comprising the steps of:
- providing a shipping container;

Serial No. 10/091,610
Amendment dated November 4, 2005
Response to Office Action of June 6, 2005
Docket No. 7001-11

providing an interface, wherein the interface has a notch having predetermined dimensions;

detachably securing the interface to the container;

providing a first fitment apparatus having a first opening integrally formed in the first fitment and a first fitment outer perimeter;

providing a second fitment apparatus having a second opening integrally formed in the second fitment and a second fitment outer perimeter; and

interchangeably connecting the first fitment apparatus and the second fitment apparatus to the interface;

wherein the perimeter of the first opening is not equal to the perimeter of the second opening,

wherein the first fitment outer perimeter is equal to the second fitment outer perimeter and corresponds to the predetermined dimensions of the notch.